

Ramps

Ramps that can help a person to comfortably and safely enter a vehicle while seated in a wheelchair.



Manufactured by FEAL

Tailboard ramps

High quality wheelchair ramps for vehicle installation.



Our transport and tailboard ramps have a unique surface treatment that provides excellent grip and makes loading and unloading simple and safe. They are secured in the vehicle with our floor mounting plates and can be mounted or removed in one easy step. The perforations allow the driver to see through the folded ramp in the rear view mirror.


Quick facts

- Anti-slip surface
- High loading capacity
- Can be tailor-made according to your specific dimensions to meet your demands
- Many vehicle specific mounting brackets available for quick installations
- Universal mounting bracket for installations on rail floors
- Designed and manufactured in Sweden
- 3 years warranty

Specifications

MATERIAL Aluminium

To guarantee your safety BraunAbility products are designed and tested according to current directives and standards.

 **We can make ramps according to your specifications.**
Contact us for more information.

Anyramp		Length	Length folded	Inside width	Max load	Weight
104012	VR 10	100	52	82	400	11
102875	VR 16	160	85	82	400	18
102876	VR 20	200	105	82	400	21
102877	VR 25	250	130	82	400	25
103502	VR 28	280	145	82	400	29

All weights and dimensions are given in kilograms and centimetres, and for reference only.






Vehicle specific mounting brackets available
dealerweb.braunability.eu

Tailboard ramps

Dimensions and models

A floor fixed device (102874) is included.
Accessories are available separately.



2-part ramps

		Length	Height folded	Inside width	Required door width	Max load	Weight
82 cm width							
100565	BGR 19	182	102	82	97.5	400	22
101055	BGR 21	202	112	82	97.5	400	24
101056	BGR 23	222	122	82	97.5	400	26
100845	BGR 27	262	142	82	97.5	400	30
103268	BGR 30	280	154	82	97.5	400	34
90 cm width							
102799	BGR 90-19	182	102	90	105.5	400	29
104009	BGR 90-21	202	112	90	105.5	400	31
102800	BGR 90-23	222	122	90	105.5	400	34
102860	BGR 90-27	262	142	90	105.5	400	38
Checked aluminium on the sides							
102792	BGR D 19	182	102	82	97.5	400	28
102793	BGR D 21	202	112	82	97.5	400	30
102794	BGR D 23	222	122	82	97.5	400	32
102795	BGR D 27	262	142	82	97.5	400	37

All weights and dimensions are given in kilograms and centimetres, and for reference only.

3-part ramps

		Length	Height folded	Inside width	Required door width	Max load	Weight
80 cm width							
100005	BGR 19-3	171	67	80	97.5	400	23
100006	BGR 25-3	235	92	80	97.5	400	28
100886	BGR 27-3	265	102	80	97.5	400	30
100887	BGR 33-3	325	122	80	97.5	400	35
102791	BGR 37-3	365	135	80	97.5	400	39
90 cm width							
104010	BGR 90-25-3	235	92	88	105.5	400	33
104011	BGR 90-27-3	265	102	88	105.5	400	36
102861	BGR 90-33-3	325	122	88	105.5	400	40
102862	BGR 90-37-3	365	135	88	105.5	400	46
Checked aluminium on the sides							
102796	BGR D 27-3	265	102	80	97.5	400	36
102797	BGR D 33-3	325	122	80	97.5	400	45
102798	BGR D 37-3	365	135	80	97.5	400	49

All weights and dimensions are given in kilograms and centimetres, and for reference only.

Manufactured by FEAL

Professional tailboard ramps

Heavy-duty wheelchair ramps for vehicle installation.



Designed to meet the special requirements of ambulances and the community transport market, the professional tailboard ramps from FEAL are unmatched in performance, quality and price.

Features include reinforcements for up to 600 kg loading capacity, highly reflective side profiles and kick-out wheels for emergency evacuation. The kick-out wheels will allow the ramp to be deployed from within the vehicle in case of an emergency. Additionally the wheels make every day ramp operations easier.

Quick facts

- Anti-slip surface
- Up to 600 kg loading capacity
- Emergency deployment
- Ergonomic operation
- Safety straps included
- Designed and manufactured in Sweden
- 3 years warranty

Specifications

MATERIAL Aluminium

To guarantee your safety BraunAbility products are designed and tested according to current directives and standards.

NOTE! The professional ramps are permanently installed in the vehicle.



We can make ramps according to your specifications.
Contact us for more information.




Vehicle specific mounting brackets available
dealerweb.braunability.eu


Professional tailboard ramps

Dimensions and models

Accessories are available separately.



Standard mesh



Tight mesh

2-part ramps		Length	Height folded	Inside width	Required door width	Max load	Weight
Professional ramps							
103272	BGR 90-21P	202	112	90	105.5	600	28
103276	BGR 90-25P	242	132	90	105.5	600	31
103279	BGR 90-30P	287	154	90	105.5	500	35

All weights and dimensions are given in kilograms and centimetres, and for reference only.

2-part ramps		Length	Height folded	Inside width	Required door width	Max load	Weight
Professional tight mesh ramps							
103830	BGR 90-21PTM	202	112	90	105.5	600	30
103831	BGR 90-25PTM	242	132	90	105.5	600	33
103832	BGR 90-30PTM	287	154	90	105.5	500	39


All weights and dimensions are given in kilograms and centimetres, and for reference only.



Vehicle specific mounting brackets available
dealerweb.braunability.eu

iRamp Vehicle

Dimensions and models



Standard mesh



Tight mesh

2-part ramps

Standard mesh ramps		Extended length	Height folded	Inside width	Required door width	Max load	Weight
105870	IRV162	160	96	90	104	400	25
105871	IRV182	180	106	90	104	400	27
105872	IRV202	200	116	90	104	400	29
105873	IRV222	220	126	90	104	400	31
105874	IRV242	240	136	90	104	400	33
105875	IRV262	260	146	90	104	400	35
105876	IRV282	280	156	90	104	400	37

All weights and dimensions are given in kilograms and centimetres, and for reference only.

2-part ramps

Professional standard mesh ramp		Extended length	Height folded	Inside width	Required door width	Max load	Weight
105877	IRV242P	240	136	90	104	600	34
Professional tight mesh ramp		Extended length	Height folded	Inside width	Required door width	Max load	Weight
105878	IRV242PTM	240	136	90	104	600	36

All weights and dimensions are given in kilograms and centimetres, and for reference only.

Manufactured by FEAL


Accessories

Ramps

Adapter plate

For installation in standard flooring, can be cut as needed. 1200x300x6 mm

- 103284** Universal adapter plate for BGR
- 105906** Universal adapter plate for IRV



Mounting plate

For installation in vehicles with rail flooring.

- 102883** Universal mounting plate for BGR
- 105907** Universal mounting plate for IRV



Turnable mounting plate (BGR)

Enables the ramp to rotate on the left or right axis, for a clear passage when stowed. Choose which axis to rotate on and width depending on your specific ramp model. Available as a factory installed option or as a kit for retrofitting old ramps.

- NOTE!** Fits only the BGR tailboard ramps.
- NOTE!** Turnable mounting plate and quick release can NOT be combined.



Factory installed

- 102867** left axis, 80 cm
- 103732** right axis, 80 cm
- 103733** left axis, 90 cm
- 103734** right axis, 90 cm


Kit for retrofitting

- 102868** left axis, 80 cm
- 103735** right axis, 80 cm
- 103736** left axis, 90 cm
- 103737** right axis, 90 cm

Manufactured by FEAL

iRamp

Portable full surface ramps for heavy loads.



iRamp Portable is a ramp which folds lengthways. It provides a full surface required for electric wheelchairs and three-wheeled scooters. It is very lightweight, made from a durable material and is capable of supporting heavy loads. The iRamps are only 5.5 cm thick when folded up.

The iRamp Carbon series is even lighter, 30% lighter than the competitors' counterparts. As the name suggest these ramps are manufactured from carbon fibre, a material that is extremely light, rigid and strong.

Quick facts

- Full surface
- High loading capacity
- Lightweight and mobile
- Designed and manufactured in Sweden
- 3 years warranty

Specifications

MATERIAL Aluminium / Carbon

To guarantee your safety BraunAbility products are designed and tested according to current directives and standards.

iRamp Portable		Length	Internal width	Recommended max height	Max load	Weight
102985	IRP50	52	76	10	400	3.8
102986	IRP90	92	76	18	400	6.5
102987	IRP120	116	76	24	400	8.7
103825	IRP150	150	76	31	400	10
102988	IRP170	167	76	34	400	12.5
102989	IRP200	200	76	40	400	14.7

iRamp Carbon		Length	Internal width	Recommended max height	Max load	Weight
103826	IRC075	75	75	15	250	2.6
103827	IRC120	120	75	25	250	3.9
103828	IRC150	150	75	30	250	5.0
103829	IRC200	200	75	40	250	6.8

All weights and dimensions are given in kilograms and centimetres, and for reference only.

All weights and dimensions are given in kilograms and centimetres, and for reference only.